

FIG. 1




FIG. 2

# Sheet 3/ 27

BS/PCF

PDSN

CS

MS




FIG. 3

LAYER	PROTOCOLS AND SELECTED OPTIONS FOR SERVICE OPTION XX	
	MPEG-4 VISUAL, EVRC AUDIO, RTP PAYLOAD TYPES	
APPLICATION		
TRANSPORT	RTP/UDP PORT NUMBER	
SEC URITY	UNSPECIFIED	
NETWORK	IP	
HEADER COMPRESSION	ROHC	
LINK	HDLC-TYPE FRAMING	
RLP	NULL	
MULTIPLEX	BSPM	
PHYSICAL	BSPM	

FIG. 4

# Sheet 5/27




FIG. 5




FIG. 6




FIG. 7




FIG.8

700




FIG. 9

800




FIG. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15

# Sheet 13/ 27

PILOT_PN	9
BSPM_MSG_SEQ	6
HSBS_REQ_USED	1
HSBS_REG_TIMER	0 OR 5
NUM_FBSCH	3
NUM_HSBS_SESSION	3
NUM_LPM_ENTRIES	3
FBSCH_ID	3
FREQ_INCL	1
FBSCH_CDMA_FREQ	0 OR 11
FBSCH_CODE_CHAN	11
FBSCH_RC	5
FBSCH_RATE	4
FBSCH_FRAME_SIZE	2
FBSCH_FRAME_REPEAT_IND	1
FBSCH_SHO_SUPPORTED	1
NUM_NGHR	0 OR 6

NGHBR_PN	9
NGHBR_FBSCH_CODE	1
NGHBR_FBSCH_CODE_CHAN	0 OR 11
HSBS_ID	0 OR 5
BSR_ID	3
HSBS_ID	3
FBSCH_ID	3
FBSCH_ID	3

**FIG. 16**

LAYER	PROTOCOLS	BROADCAST SERVICE BLOB FIELDS
APPLICATION	IDENTIFIED IN BLOB	VISUAL/AUDIO CODECS, PROFILES, RTP PAYLOAD TYPES
TRANSPORT	IDENTIFIED IN BLOB	TRANSPORT PROTOCOL, UDP PORT NUMBER
SECURITY	UNSPECIFIED	
NETWORK	IP	
HEADER COMPRESSION	IDENTIFIED IN BLOB	HEADER COMPRESSION ALGORITHM & PARAMETERS
LINK	HDLC-LIKE FRAMING	
RLP	NULL	
MULTIPLEX	IDENTIFIED IN BSPM	
PHYSICAL	IDENTIFIED IN BSPM	

FIG. 17

2000




FIG. 18

# FIG. 19





FIG. 19

FIG. 20



3000

Sheet 17/ 27




FIG. 21




FIG. 22

5000




FIG. 23

6000 

INDEX	SPI	SDP
1	SPI(1)	SDP(1)
2	SPI(2)	SDP(2)
3	SPI(3)	SDP(3)
⋮		
M	SPI(M)	SDP(M)

FIG. 24

# Sheet 20/ 27

TRANSMIT  
SIGNALS




FIG. 25A

RECEIVE  
SIGNALS





FIG. 25B

# Sheet 21/27

TRANSMIT  
SIGNALS



RECEIVE  
SIGNALS

FIG. 26A




FIG. 26B




FIG. 26C

# Sheet 23/ 27




FIG. 26D




FIG. 26E

# Sheet 24/ 27

TRANSMIT SIGNALS




FIG. 27A

RECEIVE SIGNALS




FIG. 27B



## Sheet 25/ 27

Field	Length (octets)
CONTROL	1
CURRENT_SDP_ID	1
CURRENT_SDP_LIFE	6
NEXT_SDP_ID	0 or 1
INCL_SDP_DESC_ID	0 or 1
INCL_SDP_DESC	0 or Variable

FIG. 28

# Sheet 26/ 27




FIG. 29A




FIG. 29B

# Sheet 27/ 27




FIG. 30




FIG. 31